



Full wwPDB EM Validation Report ⓘ

Oct 13, 2024 – 04:30 pm BST

PDB ID : 7OKN
EMDB ID : EMD-12962
Title : Structure of the outer-membrane core complex (inner ring) from a conjugative type IV secretion system
Authors : Amin, H.; Ilangoan, A.; Costa, T.R.D.
Deposited on : 2021-05-18
Resolution : 3.34 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY










The reported resolution of this entry is 3.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	461	
1	C	461	
1	E	461	
1	G	461	
1	I	461	
1	K	461	
1	M	461	
1	O	461	
1	Q	461	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	S	461	
1	U	461	
1	W	461	
1	Y	461	
1	a	461	
1	c	461	
1	e	461	
1	g	461	
2	B	204	
2	D	204	
2	F	204	
2	H	204	
2	J	204	
2	L	204	
2	N	204	
2	P	204	
2	R	204	
2	T	204	
2	V	204	
2	X	204	
2	Z	204	
2	b	204	
2	d	204	
2	f	204	
2	h	204	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 28067 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TraB.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	183	Total	C	N	O	S	0	0
			1386	871	240	269	6		
1	C	183	Total	C	N	O	S	0	0
			1386	871	240	269	6		
1	E	183	Total	C	N	O	S	0	0
			1386	871	240	269	6		
1	G	183	Total	C	N	O	S	0	0
			1386	871	240	269	6		
1	I	183	Total	C	N	O	S	0	0
			1386	871	240	269	6		
1	K	183	Total	C	N	O	S	0	0
			1386	871	240	269	6		
1	M	183	Total	C	N	O	S	0	0
			1386	871	240	269	6		
1	O	183	Total	C	N	O	S	0	0
			1386	871	240	269	6		
1	Q	183	Total	C	N	O	S	0	0
			1386	871	240	269	6		
1	S	183	Total	C	N	O	S	0	0
			1386	871	240	269	6		
1	U	183	Total	C	N	O	S	0	0
			1386	871	240	269	6		
1	W	183	Total	C	N	O	S	0	0
			1386	871	240	269	6		
1	Y	183	Total	C	N	O	S	0	0
			1386	871	240	269	6		
1	a	183	Total	C	N	O	S	0	0
			1386	871	240	269	6		
1	c	183	Total	C	N	O	S	0	0
			1386	871	240	269	6		
1	e	183	Total	C	N	O	S	0	0
			1386	871	240	269	6		
1	g	183	Total	C	N	O	S	0	0
			1386	871	240	269	6		


- Molecule 2 is a protein called Type IV conjugative transfer system lipoprotein TraV.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	38	Total 265	C 155	N 48	O 57	S 5	0	0
2	D	38	Total 265	C 155	N 48	O 57	S 5	0	0
2	F	38	Total 265	C 155	N 48	O 57	S 5	0	0
2	H	38	Total 265	C 155	N 48	O 57	S 5	0	0
2	J	38	Total 265	C 155	N 48	O 57	S 5	0	0
2	L	38	Total 265	C 155	N 48	O 57	S 5	0	0
2	N	38	Total 265	C 155	N 48	O 57	S 5	0	0
2	P	38	Total 265	C 155	N 48	O 57	S 5	0	0
2	R	38	Total 265	C 155	N 48	O 57	S 5	0	0
2	T	38	Total 265	C 155	N 48	O 57	S 5	0	0
2	V	38	Total 265	C 155	N 48	O 57	S 5	0	0
2	X	38	Total 265	C 155	N 48	O 57	S 5	0	0
2	Z	38	Total 265	C 155	N 48	O 57	S 5	0	0
2	b	38	Total 265	C 155	N 48	O 57	S 5	0	0
2	d	38	Total 265	C 155	N 48	O 57	S 5	0	0
2	f	38	Total 265	C 155	N 48	O 57	S 5	0	0
2	h	38	Total 265	C 155	N 48	O 57	S 5	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: TraB







• Molecule 1: TraB










- Molecule 1: TraB




- Molecule 1: TraB




- Molecule 1: TraB






Molecule 1: TraB



Molecule 1: TraB



ASP
THR
VAL
ASP
PRO
ALA
THR
GLY
GLN
VAL
THR
GLN
TRP
LYS

• Molecule 1: TraB

Chain S:  37% 60%

MET
ALA
ASN
VAL
GLY
ASP
ASN
LYS
VAL
VAL
GLN
ARG
VAL
ARG
GLN
THR
GLN
ALA
VAL
LEU
LEU
ILE
ALA
LEU
LEU
VAL
LEU
GLY
ILE
GLN
THR
GLY
GLY
ALA
GLY
GLY
MET
VAL
SER
GLY
LEU
MET
ASN
SER
LEU
LYS
LYS
ALA
PRO
LYS
LYS
ALA
ILE
PRO
LYS
ASP
GLY
GLY
PRO
PRO
GLN
ASP
MET
THR
GLY
VAL
GLN
ASN
MET
THR
GLY
VAL
GLN
GLN

GLN
SER
PHE
ASP
ASN
LYS
VAL
GLN
ASP
SER
SER
ALA
ILE
GLY
GLU
PRO
LEU
PRO
GLY
GLN
ARG
LEU
ALA
LEU
ASN
LYS
VAL
LEU
GLY
ILE
GLN
THR
GLY
THR
GLY
ALA
ILE
LYS
LYS
ALA
GLY
GLY
LEU
GLY
ASN
ARG
THR
TRP
GLU
MET
VAL
SER
GLY
LEU
VAL
SER
ASN
TRP
ARG
ASP
LYS
LYS
ALA
GLY
GLY
SER
SER
GLN
ASP
LYS
ALA
PRO
ALA
ILE
ARG
LYS
GLY
GLU
VAL
MET
GLU
PRO
GLU
ASP
ALA
GLN
ILE
PRO
GLN
THR
VAL
GLY
GLY
THR
ALA
ARG
GLN
LEU
MET
THR
GLY
VAL
GLN
GLN

LEU
GLU
ALA
GLY
GLY
ASN
PHE
ASP
SER
ASP
SER
LEU
PRO
GLY
SER
SER
ALA
GLY
PRO
GLU
LEU
LEU
PRO
GLY
GLN
ARG
LEU
ALA
LEU
ASN
LYS
VAL
LEU
GLY
ILE
GLN
THR
GLY
THR
GLY
ALA
PRO
LYS
LYS
ALA
GLY
GLY
LEU
GLY
ASN
ARG
VAL
PRO
GLU
MET
VAL
SER
GLY
LEU
THR
PHE
SER
VAL
TRP
ARG
ASP
LYS
LYS
ALA
GLY
GLY
SER
SER
GLN
ALA
PRO
ALA
ILE
ARG
LYS
GLY
GLU
VAL
MET
GLU
PRO
GLU
THR
VAL
GLY
GLY
THR
ALA
ARG
GLN
LEU
MET
THR
GLY
VAL
GLN
GLN

ASP
SER
GLN
GLY
PHE
SER
LEU
PRO
THR
ASP
GLY
SER
PRO
LYS
P195
R196
W199
K224
D242
R270
S271
L276
G277
D278
D279
Q283
G313
G316
F317
G322
K323
K327
ALA
SER
SER
THR
THR
VAL
GLY
VAL
GLN
ASP
MET
THR
GLY
SER
SER
ASP
ALA
ASP

ILE
GLY
GLN
ALA
GLY
LEU
GLY
GLY
VAL
SER
SER
SER
ALA
A359
K360
H374
N383
E384
D391
Q394
E400
A403
K404
A407
R408
LYS
LYS
ASN
GLN
GLN
PRO
SER
ALA
SER
SER
THR
ALA
PRO
ALA
ILE
ARG
LYS
GLY
GLY
PRO
MET
PRO
GLY
THR
THR
VAL
GLY
GLY
THR
ALA
ARG
GLN
LYS
LYS
ALA
PRO
ALA
ILE
ARG
LYS
GLY
GLY
SER
SER
GLN
ASP
LYS
ALA
SER
SER
THR
ALA
PRO
ALA
ILE
ARG
LYS
GLY
GLY
PRO
MET
PRO
GLY
THR
THR
VAL
GLY
GLY
THR
ALA
ARG
GLN
LEU
MET
THR
GLY
VAL
GLN
GLN

PHE
ARG
VAL
GLY
GLY
THR
ASP
VAL
ASP
PRO
ALA
THR
GLY
GLY
GLN
VAL
VAL
VAL
THR
TRP
HIS
PRO
GLN
PHE
GLY
LYS

• Molecule 1: TraB

Chain U:  37% 60%

MET
ALA
ASN
VAL
GLY
ASP
ASN
LYS
VAL
VAL
GLN
ARG
VAL
ARG
GLN
THR
GLN
ALA
VAL
LEU
LEU
ILE
ALA
LEU
LEU
VAL
LEU
GLY
ILE
GLN
THR
GLY
GLY
ALA
GLY
GLY
MET
VAL
SER
GLY
LEU
MET
ASN
SER
LEU
LYS
LYS
ALA
PRO
LYS
LYS
ALA
PRO
ALA
ILE
ARG
LYS
GLY
GLY
PRO
PRO
LYS
LYS
ALA
SER
SER
THR
ALA
PRO
ALA
ILE
ARG
LYS
GLY
GLY
PRO
MET
THR
GLY
VAL
GLN
GLN

GLN
SER
PHE
ASP
ASN
LYS
VAL
GLN
ASP
SER
SER
ALA
ILE
GLY
GLU
PRO
LEU
PRO
GLY
GLN
ARG
LEU
ALA
LEU
ASN
LYS
VAL
LEU
GLY
ILE
GLN
THR
GLY
THR
GLY
ALA
ILE
LYS
LYS
ALA
GLY
GLY
LEU
GLY
ASN
ARG
THR
TRP
GLU
MET
VAL
SER
GLY
LEU
THR
PHE
SER
VAL
TRP
ARG
ASP
LYS
LYS
ALA
PRO
LYS
LYS
ALA
PRO
ALA
ILE
ARG
LYS
GLY
GLY
PRO
MET
THR
GLY
VAL
GLN
GLN

LEU
GLU
ALA
GLY
GLY
ASN
PHE
ASP
SER
ASP
SER
LEU
GLY
SER
SER
ALA
GLY
PRO
GLU
LEU
LEU
PRO
GLY
GLN
ARG
LEU
ALA
LEU
ASN
LYS
VAL
LEU
GLY
ILE
GLN
THR
GLY
THR
GLY
ALA
ILE
LYS
LYS
ALA
GLY
GLY
LEU
GLY
ASN
ARG
THR
TRP
GLU
MET
VAL
SER
GLY
LEU
THR
PHE
SER
VAL
TRP
ARG
ASP
LYS
LYS
ALA
PRO
LYS
LYS
ALA
PRO
ALA
ILE
ARG
LYS
GLY
GLY
PRO
MET
THR
GLY
VAL
GLN
GLN

ASP
SER
GLN
GLY
PHE
SER
LEU
PRO
THR
ASP
GLY
SER
PRO
LYS
P195
R196
W199
K224
D242
R270
S271
L276
G277
D278
D279
Q283
G293
G313
G316
F317
G322
K323
K327
ALA
SER
SER
THR
THR
VAL
GLY
VAL
GLY
THR
ALA
ARG
GLN
LYS
LYS
ALA
PRO
ALA
ILE
ARG
LYS
GLY
GLY
PRO
MET
THR
GLY
VAL
GLN
GLN


ALA
ASP
ILE
GLY
GLN
GLY
ALA
GLY
LEU
GLY
GLY
VAL
SER
SER
ALA
A359
K360
H374
N383
E384
D391
Q394
E400
A403
K404
A407
R408
LYS
LYS
ASN
GLN
GLN
PRO
SER
ALA
SER
SER
THR
ALA
PRO
ALA
ILE
ARG
LYS
GLY
GLY
PRO
MET
PRO
GLY
THR
THR
VAL
GLY
GLY
THR
ALA
ARG
GLN
LEU
MET
THR
GLY
VAL
GLN
GLN


ASP
PHE
ARG
VAL
GLY
GLY
THR
ASP
VAL
VAL
PRO
ALA
THR
GLY
GLN
VAL
VAL
VAL
THR
TRP
HIS
SER
GLY
GLY
ILE
GLN
PHE
GLY
LYS

• Molecule 1: TraB


Chain W:  37% 60%

MET
ALA
ASN
VAL
GLY
ASN
LYS
VAL
VAL
VAL
ARG
ARG
GLN
VAL
GLN
ALA
LEU
LEU
ILE
ALA
LEU
LEU
VAL
VAL
GLY
ILE
GLN
GLY
GLY
ALA
GLY
GLY
MET
VAL
SER
GLY
LEU
MET
ASN
SER
LEU
LYS
LYS
ALA
PRO
PRO
PRO
PRO
LYS
LYS
ALA
PRO
ALA
LYS
GLY
GLY
GLU
PRO
PRO
ALA
ALA
GLN
ILE
PRO
GLY
THR
MET
THR
GLY
VAL
VAL
GLN
ASN






• Molecule 1: TraB




• Molecule 1: TraB




• Molecule 1: TraB







- Molecule 2: Type IV conjugative transfer system lipoprotein TraV



- Molecule 2: Type IV conjugative transfer system lipoprotein TraV




- Molecule 2: Type IV conjugative transfer system lipoprotein TraV




- Molecule 2: Type IV conjugative transfer system lipoprotein TraV




- Molecule 2: Type IV conjugative transfer system lipoprotein TraV



- Molecule 2: Type IV conjugative transfer system lipoprotein TraV



- Molecule 2: Type IV conjugative transfer system lipoprotein TraV



- Molecule 2: Type IV conjugative transfer system lipoprotein TraV



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	74956	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.3	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.778	Depositor
Minimum map value	-1.060	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.041	Depositor
Recommended contour level	0.265	Depositor
Map size (\AA)	528.0, 528.0, 528.0	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.1, 1.1, 1.1	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/1408	0.55	0/1896
1	C	0.36	0/1408	0.56	0/1896
1	E	0.36	0/1408	0.55	0/1896
1	G	0.36	0/1408	0.55	0/1896
1	I	0.36	0/1408	0.55	0/1896
1	K	0.36	0/1408	0.55	0/1896
1	M	0.36	0/1408	0.55	0/1896
1	O	0.36	0/1408	0.55	0/1896
1	Q	0.36	0/1408	0.55	0/1896
1	S	0.36	0/1408	0.56	0/1896
1	U	0.36	0/1408	0.55	0/1896
1	W	0.36	0/1408	0.55	0/1896
1	Y	0.36	0/1408	0.56	0/1896
1	a	0.36	0/1408	0.56	0/1896
1	c	0.36	0/1408	0.55	0/1896
1	e	0.36	0/1408	0.55	0/1896
1	g	0.36	0/1408	0.56	0/1896
2	B	0.29	0/265	0.61	0/353
2	D	0.30	0/265	0.61	0/353
2	F	0.29	0/265	0.61	0/353
2	H	0.30	0/265	0.61	0/353
2	J	0.29	0/265	0.61	0/353
2	L	0.30	0/265	0.61	0/353
2	N	0.30	0/265	0.61	0/353
2	P	0.30	0/265	0.61	0/353
2	R	0.30	0/265	0.61	0/353
2	T	0.29	0/265	0.61	0/353
2	V	0.30	0/265	0.61	0/353
2	X	0.29	0/265	0.61	0/353
2	Z	0.29	0/265	0.61	0/353
2	b	0.29	0/265	0.61	0/353
2	d	0.29	0/265	0.61	0/353
2	f	0.29	0/265	0.61	0/353
2	h	0.30	0/265	0.61	0/353

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
All	All	0.35	0/28441	0.56	0/38233

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	179/461 (39%)	163 (91%)	16 (9%)	0	100	100
1	C	179/461 (39%)	163 (91%)	16 (9%)	0	100	100
1	E	179/461 (39%)	163 (91%)	16 (9%)	0	100	100
1	G	179/461 (39%)	163 (91%)	16 (9%)	0	100	100
1	I	179/461 (39%)	163 (91%)	16 (9%)	0	100	100
1	K	179/461 (39%)	163 (91%)	16 (9%)	0	100	100
1	M	179/461 (39%)	163 (91%)	16 (9%)	0	100	100
1	O	179/461 (39%)	163 (91%)	16 (9%)	0	100	100
1	Q	179/461 (39%)	163 (91%)	16 (9%)	0	100	100
1	S	179/461 (39%)	163 (91%)	16 (9%)	0	100	100
1	U	179/461 (39%)	163 (91%)	16 (9%)	0	100	100
1	W	179/461 (39%)	163 (91%)	16 (9%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	Y	179/461 (39%)	163 (91%)	16 (9%)	0	100	100
1	a	179/461 (39%)	163 (91%)	16 (9%)	0	100	100
1	c	179/461 (39%)	163 (91%)	16 (9%)	0	100	100
1	e	179/461 (39%)	163 (91%)	16 (9%)	0	100	100
1	g	179/461 (39%)	163 (91%)	16 (9%)	0	100	100
2	B	36/204 (18%)	32 (89%)	4 (11%)	0	100	100
2	D	36/204 (18%)	32 (89%)	4 (11%)	0	100	100
2	F	36/204 (18%)	32 (89%)	4 (11%)	0	100	100
2	H	36/204 (18%)	32 (89%)	4 (11%)	0	100	100
2	J	36/204 (18%)	32 (89%)	4 (11%)	0	100	100
2	L	36/204 (18%)	32 (89%)	4 (11%)	0	100	100
2	N	36/204 (18%)	32 (89%)	4 (11%)	0	100	100
2	P	36/204 (18%)	32 (89%)	4 (11%)	0	100	100
2	R	36/204 (18%)	32 (89%)	4 (11%)	0	100	100
2	T	36/204 (18%)	32 (89%)	4 (11%)	0	100	100
2	V	36/204 (18%)	32 (89%)	4 (11%)	0	100	100
2	X	36/204 (18%)	32 (89%)	4 (11%)	0	100	100
2	Z	36/204 (18%)	32 (89%)	4 (11%)	0	100	100
2	b	36/204 (18%)	32 (89%)	4 (11%)	0	100	100
2	d	36/204 (18%)	32 (89%)	4 (11%)	0	100	100
2	f	36/204 (18%)	32 (89%)	4 (11%)	0	100	100
2	h	36/204 (18%)	32 (89%)	4 (11%)	0	100	100
All	All	3655/11305 (32%)	3315 (91%)	340 (9%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	144/361 (40%)	133 (92%)	11 (8%)	11	35
1	C	144/361 (40%)	133 (92%)	11 (8%)	11	35
1	E	144/361 (40%)	134 (93%)	10 (7%)	13	39
1	G	144/361 (40%)	133 (92%)	11 (8%)	11	35
1	I	144/361 (40%)	133 (92%)	11 (8%)	11	35
1	K	144/361 (40%)	134 (93%)	10 (7%)	13	39
1	M	144/361 (40%)	133 (92%)	11 (8%)	11	35
1	O	144/361 (40%)	134 (93%)	10 (7%)	13	39
1	Q	144/361 (40%)	133 (92%)	11 (8%)	11	35
1	S	144/361 (40%)	133 (92%)	11 (8%)	11	35
1	U	144/361 (40%)	133 (92%)	11 (8%)	11	35
1	W	144/361 (40%)	133 (92%)	11 (8%)	11	35
1	Y	144/361 (40%)	133 (92%)	11 (8%)	11	35
1	a	144/361 (40%)	133 (92%)	11 (8%)	11	35
1	c	144/361 (40%)	133 (92%)	11 (8%)	11	35
1	e	144/361 (40%)	133 (92%)	11 (8%)	11	35
1	g	144/361 (40%)	133 (92%)	11 (8%)	11	35
2	B	28/168 (17%)	26 (93%)	2 (7%)	12	38
2	D	28/168 (17%)	26 (93%)	2 (7%)	12	38
2	F	28/168 (17%)	26 (93%)	2 (7%)	12	38
2	H	28/168 (17%)	26 (93%)	2 (7%)	12	38
2	J	28/168 (17%)	27 (96%)	1 (4%)	30	57
2	L	28/168 (17%)	26 (93%)	2 (7%)	12	38
2	N	28/168 (17%)	26 (93%)	2 (7%)	12	38
2	P	28/168 (17%)	26 (93%)	2 (7%)	12	38
2	R	28/168 (17%)	26 (93%)	2 (7%)	12	38
2	T	28/168 (17%)	26 (93%)	2 (7%)	12	38
2	V	28/168 (17%)	26 (93%)	2 (7%)	12	38
2	X	28/168 (17%)	26 (93%)	2 (7%)	12	38
2	Z	28/168 (17%)	26 (93%)	2 (7%)	12	38
2	b	28/168 (17%)	27 (96%)	1 (4%)	30	57
2	d	28/168 (17%)	26 (93%)	2 (7%)	12	38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	f	28/168 (17%)	27 (96%)	1 (4%)	30	57
2	h	28/168 (17%)	26 (93%)	2 (7%)	12	38
All	All	2924/8993 (32%)	2709 (93%)	215 (7%)	14	36

All (215) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	199	TRP
1	A	224	LYS
1	A	242	ASP
1	A	270	ARG
1	A	271	SER
1	A	276	LEU
1	A	283	GLN
1	A	374	HIS
1	A	383	ASN
1	A	391	ASP
1	A	394	GLN
2	B	32	SER
2	B	48	LYS
1	C	199	TRP
1	C	224	LYS
1	C	242	ASP
1	C	270	ARG
1	C	271	SER
1	C	276	LEU
1	C	283	GLN
1	C	374	HIS
1	C	383	ASN
1	C	391	ASP
1	C	394	GLN
2	D	32	SER
2	D	48	LYS
1	E	199	TRP
1	E	224	LYS
1	E	242	ASP
1	E	270	ARG
1	E	271	SER
1	E	276	LEU
1	E	283	GLN
1	E	383	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	391	ASP
1	E	394	GLN
2	F	32	SER
2	F	48	LYS
1	G	199	TRP
1	G	224	LYS
1	G	242	ASP
1	G	270	ARG
1	G	271	SER
1	G	276	LEU
1	G	283	GLN
1	G	374	HIS
1	G	383	ASN
1	G	391	ASP
1	G	394	GLN
2	H	32	SER
2	H	48	LYS
1	I	199	TRP
1	I	224	LYS
1	I	242	ASP
1	I	270	ARG
1	I	271	SER
1	I	276	LEU
1	I	283	GLN
1	I	374	HIS
1	I	383	ASN
1	I	391	ASP
1	I	394	GLN
2	J	32	SER
1	K	199	TRP
1	K	224	LYS
1	K	242	ASP
1	K	270	ARG
1	K	271	SER
1	K	276	LEU
1	K	283	GLN
1	K	383	ASN
1	K	391	ASP
1	K	394	GLN
2	L	32	SER
2	L	48	LYS
1	M	199	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	M	224	LYS
1	M	242	ASP
1	M	270	ARG
1	M	271	SER
1	M	276	LEU
1	M	283	GLN
1	M	374	HIS
1	M	383	ASN
1	M	391	ASP
1	M	394	GLN
2	N	32	SER
2	N	48	LYS
1	O	199	TRP
1	O	224	LYS
1	O	242	ASP
1	O	270	ARG
1	O	271	SER
1	O	276	LEU
1	O	283	GLN
1	O	383	ASN
1	O	391	ASP
1	O	394	GLN
2	P	32	SER
2	P	48	LYS
1	Q	199	TRP
1	Q	224	LYS
1	Q	242	ASP
1	Q	270	ARG
1	Q	271	SER
1	Q	276	LEU
1	Q	283	GLN
1	Q	374	HIS
1	Q	383	ASN
1	Q	391	ASP
1	Q	394	GLN
2	R	32	SER
2	R	48	LYS
1	S	199	TRP
1	S	224	LYS
1	S	242	ASP
1	S	270	ARG
1	S	271	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	S	276	LEU
1	S	283	GLN
1	S	374	HIS
1	S	383	ASN
1	S	391	ASP
1	S	394	GLN
2	T	32	SER
2	T	48	LYS
1	U	199	TRP
1	U	224	LYS
1	U	242	ASP
1	U	270	ARG
1	U	271	SER
1	U	276	LEU
1	U	283	GLN
1	U	374	HIS
1	U	383	ASN
1	U	391	ASP
1	U	394	GLN
2	V	32	SER
2	V	48	LYS
1	W	199	TRP
1	W	224	LYS
1	W	242	ASP
1	W	270	ARG
1	W	271	SER
1	W	276	LEU
1	W	283	GLN
1	W	374	HIS
1	W	383	ASN
1	W	391	ASP
1	W	394	GLN
2	X	32	SER
2	X	48	LYS
1	Y	199	TRP
1	Y	224	LYS
1	Y	242	ASP
1	Y	270	ARG
1	Y	271	SER
1	Y	276	LEU
1	Y	283	GLN
1	Y	374	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	Y	383	ASN
1	Y	391	ASP
1	Y	394	GLN
2	Z	32	SER
2	Z	48	LYS
1	a	199	TRP
1	a	224	LYS
1	a	242	ASP
1	a	270	ARG
1	a	271	SER
1	a	276	LEU
1	a	283	GLN
1	a	374	HIS
1	a	383	ASN
1	a	391	ASP
1	a	394	GLN
2	b	32	SER
1	c	199	TRP
1	c	224	LYS
1	c	242	ASP
1	c	270	ARG
1	c	271	SER
1	c	276	LEU
1	c	283	GLN
1	c	374	HIS
1	c	383	ASN
1	c	391	ASP
1	c	394	GLN
2	d	32	SER
2	d	48	LYS
1	e	199	TRP
1	e	224	LYS
1	e	242	ASP
1	e	270	ARG
1	e	271	SER
1	e	276	LEU
1	e	283	GLN
1	e	374	HIS
1	e	383	ASN
1	e	391	ASP
1	e	394	GLN
2	f	32	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	g	199	TRP
1	g	224	LYS
1	g	242	ASP
1	g	270	ARG
1	g	271	SER
1	g	276	LEU
1	g	283	GLN
1	g	374	HIS
1	g	383	ASN
1	g	391	ASP
1	g	394	GLN
2	h	32	SER
2	h	48	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	374	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-12962. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 283



Y Index: 282




Z Index: 253


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.265. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 186 nm³; this corresponds to an approximate mass of 168 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.299 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.299 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.34	-	-
Author-provided FSC curve	3.34	3.85	3.41
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-12962 and PDB model 7OKN. Per-residue inclusion information can be found in [section 3](#) on [page 6](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.265 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.265).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 75% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.265) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7490	 0.4130
A	 0.8280	 0.4970
B	 0.7300	 0.4660
C	 0.8130	 0.4950
D	 0.7110	 0.4470
E	 0.8070	 0.4790
F	 0.7150	 0.4390
G	 0.7970	 0.4750
H	 0.7030	 0.4280
I	 0.8190	 0.4840
J	 0.7300	 0.4420
K	 0.7740	 0.4450
L	 0.6880	 0.4020
M	 0.7540	 0.4180
N	 0.6880	 0.3820
O	 0.7390	 0.3930
P	 0.6650	 0.3590
Q	 0.7270	 0.3710
R	 0.6460	 0.3430
S	 0.7230	 0.3550
T	 0.6430	 0.3350
U	 0.7080	 0.3420
V	 0.6160	 0.3240
W	 0.7130	 0.3400
X	 0.6080	 0.3210
Y	 0.7240	 0.3490
Z	 0.6160	 0.3230
a	 0.7360	 0.3670
b	 0.6350	 0.3410
c	 0.7550	 0.3990
d	 0.6580	 0.3620
e	 0.7720	 0.4370
f	 0.6880	 0.4010
g	 0.7940	 0.4680
h	 0.7150	 0.4330

